

Overview

Basic overview and features of the JET Stream

- [Description & Features](#)
- [Dimensions & Power Requirements](#)

Description & Features

The JET Stream is a true 100 watt stereo power amp made specifically for use with modern amp modelers.

Using a modeler when playing out live and wishing you had stage volume to support your playing? How about needing to move some air during band practice? Playing in a venue without a PA? Sick of dialing in your tones using headphones or studio monitors? Needing to practice at “apartment” levels but wishing you could have the tone of a cracked amp? Needing to practice while your baby is sleeping, in the same room... Now you can do all of these things with the power and flexibility of the JET Stream.

Whether you use a full pedalboard with a modeler (Tonex One, Kemper Player, UAFX, ACS1, Iridium, etc.) or an All-In-One modeler like the Quad Cortex, Kemper Stage, or Line 6 Helix the JET Stream is for you.

Grab your favorite guitar or bass cabinet, connect the JET Stream between your modeler and the cabinet, and you are ready to rock!

- True RMS 100 Watt Class D Power Amp
- Stereo Inputs & Outputs
- Inputs Rated for Full Line Level Signals (1 Volt RMS / 0 dB)
- XLR & ¼” Combo Input Connectors
- Balanced XLR or ¼” TRS Inputs
- Unbalanced ¼” TS Inputs
- SpeakON Type Output Connectors
- Ground Lift Switch
- Master Volume Control
- 36V 4A **Power Supply Included**

Dimensions & Power Requirements

Dimensions are 5.75" wide by 3.65" deep and 2.35" tall

The JET Stream operates off a 36 volt 4 amp center positive DC power supply ***which is provided*** with the JET Stream. Should you have the need to lower the output power of the JET Stream, you can use a 24 volt 4 amp center positive DC power supply (not provided by JET Pedals).

***Never apply any voltage higher than 36 volts which will result in damage to the JET Stream and voiding the warranty.**